


FIG.1



# FIG.2

1220

200 ITEM NAME	210 COLLECTION INTERVAL	220 INITIAL VALUE	230 COLLECTION STATE	240 VARIATION REFERENCE VALUE	250 MINIMUM VALUE	260 MAXIMUM VALUE
AP1 ACCESS FREQUENCY	30s	50s	DETAIL	4	10s	100s
AP2 WAIT TIME						

201 211

# FIG.3

1210

300 ITEM NAME	310 NORMAL STATE DEFINITION	320 ITEM STATE	330 PREVIOUSLY ACQUIRED ITEM VALUE
AP1 ACCESS FREQUENCY	20/S OR BELOW	NORMAL	5/s
AP2 WAIT TIME	120S OR BELOW	ABNORMAL	140s
301	311		

# FIG.4

1280

400 ITEM NAME	410 NORMAL STATE DEFINITION	420 ITEM STATE	430 COLLECTION INTERVAL	440 PREVIOUSLY ACQUIRED ITEM VALUE
COMPUTER 1 CPU USE RATIO	70% OR BELOW	ABNORMAL	30s	80%
COMPUTER 1 DISC EMPTY CAPACITY	10% OR ABOVE	NORMAL	100s	70%

# FIG.5

1240

500 ABNORMAL ITEM NAME	510 DERIVATIVE GROUP	520 GROUP NAME
AP1 WAIT TIME	AP1 WAIT TIME, AP2 ACCESS FREQUENCY...	G1
AP2 WAIT TIME	AP2 WAIT TIME, AP3 ACCESS FREQUENCY...	G2

FIG.6

1250

600	610
DERIVATIVE ITEM NAME	ABNORMAL ITEM NAME
AP2 ACCESS FREQUENCY	AP1 WAIT TIME
601	611

FIG.7

1111




FIG.8

1260




FIG.9

1260




FIG.10

1260






FIG.11




FIG.12

1112




FIG.13

1112




FIG.14

1112





FIG.15



1111




FIG.17

1112




FIG.18

1111






FIG.19

1260




FIG.20

1230

DERIVATIVE GROUP	DETAIL COLLECTION TIME	REFERENCE TIME
G1	30s	10s
2100	2200	2300